

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	informaiton with (begin\$4 or start\$3) with (finish\$3 or end\$3 or complet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:13
L2	3	(informaiton with (begin\$4 or start\$3) with (finish\$3 or end\$3 or complet\$3)) with (stor\$3 or writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:13
L3	1	("6231155").PN.	USPAT; USOCR	OR	OFF	2006/03/27 16:52
L4	402	advantage\$1 with (garbage adj collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:52
L5	224	advantage\$1 near5 (garbage adj collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:02
L6	1	advantage\$1 near5 (garbage adj collection) with (flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:57
L7	1	(advantage\$1 near5 (garbage adj collection)) with (flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:57
L8	1	(advantage\$1 near5 (garbage adj collection)) same (flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:57

## EAST Search History

L9	19	(advantage\$1 near5 (garbage adj collection)) and (flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:00
L10	16	(advantage\$1 near5 (garbage adj collection)) same (copy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:00
L11	41	reason\$1 near5 (garbage adj collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:02
L12	960	(711/103).CCLS.	USPAT; USOCR	OR	OFF	2006/03/27 17:56
L13	1411	(711/154).CCLS.	USPAT; USOCR	OR	OFF	2006/03/27 17:56
L14	598	(711/156).CCLS.	USPAT; USOCR	OR	OFF	2006/03/27 17:57
L15	5936	(management near2 information) with (judg\$3 or determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:58
L16	70	(management near2 information) with (judg\$3 or determin\$5) with (flash or nonvolatile or non-valatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:58
L17	6	12 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:59
L18	1	13 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:59

## EAST Search History

L19	1	14 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 17:59
S1	409	storage adj management adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 15:33
S2	958	(711/103).CCLS.	USPAT; USOCR	OR	OFF	2006/03/17 14:16
S3	1	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 14:16
S4	31814	management adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:47
S5	61	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 14:20
S6	27602	storage adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 15:33
S7	47	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 15:33
S8	729	(management adj information) same (nonvolatile or non-volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:48

## EAST Search History

S9	7	(management adj information) same (nonvolatile or non-volatile) same (complet\$3 near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 16:50
S10	48	(management adj information) same (nonvolatile or non-volatile) same (complet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 17:10
S11	1	(judg\$3 or decid\$3) with (management near2 information near5 complet\$3) same (nonvolatile or non-volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 17:11
S12	1	(judg\$3 or decid\$3) with (management near2 information near5 complet\$3) same (flash or nonvolatile or non-volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 17:11
S13	21	(judg\$3 or decid\$3) with (management near2 information near5 complet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 17:16
S14	8	(interrupt\$3) with (management near2 information near5 complet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 17:18
S15	69	(interrupt\$3) with (management near2 information near5 stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 17:18
S16	13	storage adj completion adj information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/21 17:51

## EAST Search History

S17	0	(storage adj completion adj information) near10 ((one or S16) adj bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/21 18:00
S18	0	(completion adj information) near10 ((one or S16) adj bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/21 18:05
S19	3999	RAM with (power adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 13:23
S20	675	RAM with (power adj source) with battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 13:23
S21	431	RAM near10 (power adj source) near10 battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 13:24
S22	51	RAM near10 (power adj source) near10 (backed near2 up near2 battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 14:06
S23	2	(("1" or one) adj bit) near10 (completion adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 14:09
S24	13892	(("1" or one) adj bit) near10 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 14:09

## EAST Search History

S25	14	((("1" or one) adj bit) near10 ((finsish or completion) near2 (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/22 14:19
S26	4068	(garbage adj collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 17:53
S27	254	(garbage adj collection) with copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 17:53
S28	29	(garbage adj collection) with (copy\$3 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 17:59
S29	223	(garbage adj collection) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 17:59
S30	14	(garbage adj collection) with address with copy\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:07
S31	13	(garbage adj collection) with (management adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:12
S32	29	(garbage adj collection) with (data near2 copy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:21

## EAST Search History

S33	0	(memory adj recovery) with (copy adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:19
S34	0	(memory near2 recovery) with (copy adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:19
S35	0	(memory near2 recovery) with (copy near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:19
S36	54	(recovery) with (copy near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:20
S37	0	((memory or address\$2) near2 recovery) with (copy near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:20
S38	0	((memory or space) near2 recovery) with (copy near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:20
S39	254	(garbage adj collection) with (copy\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:21
S40	1	(garbage adj collection) with (copy\$3) with (management adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:22

## EAST Search History

S41	10	(garbage adj collection) with (copy\$3) with (information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:26
S42	5	(garbage adj collection) with (map\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:29
S43	23	(information near5 start\$3 with complet\$3) with (map\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:31
S44	110	(information near5 start\$3 with complet\$3) with (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:31
S45	46	(information near5 start\$3 with complet\$3) near10 (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:32
S46	436	(information near5 start\$3 with end\$3) near10 (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:32
S47	577	(information near5 table) near10 (start\$3 near10 end\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:33
S48	56	(information near2 table) near10 ((start\$3 near10 end\$3) near10 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/03/23 18:34



## EAST Search History

S49	173	complet\$3 with (storage adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 09:58
S50	39	complet\$3 with ((storage adj management) near10 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 10:00